Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	stor\$3 text unicode constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/06 07:21
L3	135	defin\$3 text string constant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/06 08:22
L4	8	(code adj page) defin\$3 scope	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/06 08:22
L5	316	715/535.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:10
L6	146	715/536.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:10
L7	103	715/541.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:10
L8	327	345/442.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:10
L9	61	345/472.3.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:11
L10	24	translat\$3 same unicode same string	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:11
L11	8	unicode constant (convert\$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/06 09:13
L12	9	(convert\$3 same (single adj byte) same (double adj byte)) same unicode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:13

S1	17	translat\$3 same unicode same string	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 09:11
S92	6	unicode constant (convert\$3 or translat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/06 09:13
S93	1276	select\$3 text translat\$3 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/05 15:57
S94	9	S93 unicode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/01/05 15:57

	1	Document ID	Issue Date	Title	Current OR	Invento r
1		US 6922812 B2	2005072 6	System and method for presenting text upon the display of a server that employs and X window graphical interface	715/542	Broussa rd; Scott J. et al.
2		US 6907445 B2	4	Consistent application programming interface for communicati ng with disparate vehicle network classes		Pellegr ino; Michael J. et al.
3		US 6892377 B1		Method and system for platform-independent file system interaction	717/116	White; Eric

	1	Document		Title		Invento
		ID	Date		OR	<u> </u>
1		US 20050108 692 A1		System and method of generating application s for mobile devices	717/136	Lau, Allen N.L. et al.
2		US 20050108 691 A1	2005051 9	System and method of generating application s for mobile devices	717/136	Lau, Allen N. L. et al.
3		US 20040215 647 A1	2004102 8	Processing fixed- format data in a unicode environment	707/101	et al.
4		US 6668284 B1	2003122 3	Software messaging system	719/313	Parkhur st; Jason
5		US 6400287 B1	2002060 4	DATA STRUCTURE FOR CREATING, SCOPING, AND CONVERTING TO UNICODE DATA FROM SINGLE BYTE CHARACTER SETS, DOUBLE BYTE CHARACTER SETS, OR MIXED CHARACTER SETS COMPRISING BOTH SINGLE BYTE AND DOUBLE BYTE CHARACTER SETS	341/55	Ehrman; John R.

	1	Document ID	Issue Date	Title	Current OR	Invento r
6	l	US 6199173 B1	2001030 6	Method for mapping environment al resources to memory for program access	714/4	Johnson ; Karl S. et al.